

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	(midlet\$1 same class\$2) and (validat\$3 near4 parameter\$1 arguments\$1) and ((command adj2 line) script\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/28 13:07
L2	3	(midlet\$1 same class\$2) and (validat\$3 near4 parameter\$1 arguments\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/28 12:59
L3	54	(midlet\$1 cmdlet\$1 (command near3 let\$1)) and class\$2 and (validat\$3 near4 parameter\$1 arguments\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/28 13:01
L4	36	(midlet\$1 cmdlet\$1 (command\$1let\$1)) and class\$2 and (validat\$3 near4 parameter\$1 arguments\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/28 13:07
L5	392	midlet\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/28 13:07
L6	3	midlet\$1 and class\$2 and (validat\$3 near4 parameter\$1 arguments\$1) and ((command adj2 line) script\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/28 13:07
L7	24192	(metadata description definition) near5 parameter\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/28 13:12
L8	248	L7 and (validat\$3 near4 (command\$1 input\$1 parameter\$1)) and (pars\$3 near4 (command\$1 input\$1 parameter\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/28 13:12
L9	10634	(parameter\$1 argument\$1) near6 class\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/28 13:13

EAST Search History

L10	25	8 and (parameter\$1 argument\$1) near6 class\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/28 13:10
L11	22081	(metadata description definition) near4 (parameter\$1 argument\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/28 13:12
L12	149	L7 and (validat\$3 near4 (argument\$1 parameter\$1)) and (pars\$3 near4 (command\$1 input\$1 parameter\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/28 13:13
L13	22	12 and (parameter\$1 argument\$1) near6 class\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/28 13:13

Google

validate command line arguments parameter c

Search

Advanced Search
Preferences

Web Results 1 - 10 of about 1,430,000 for validate command line arguments parameter description object class. (0.15 seco

Parse and Validate Command Line Parameters with VB.NET

NET, you also need to parse and validate command line arguments. ... object that contains all the command line parameters for which the TokenAssigner could ...
www.devx.com/dotnet/Article/10115/1954?pf=true - 29k - [Cached](#) - [Similar pages](#)

jcmdline Package User Guide Release 1.0.3

All command line options and arguments are represented by Parameter objects. ... classes control the parsing and validation of command line parameters. ...
jcmdline.sourceforge.net/jcmdline/api/jcmdline/doc-files/userguide.html - 29k - [Cached](#) - [Similar pages](#)

BasicCmdLineHandler (jcmdline API)

Object; implements CmdLineHandler. Used to define, parse, and validate the parameters associated with an executable's command line. Objects of this class ...
jcmdline.sourceforge.net/jcmdline/api/jcmdline/BasicCmdLineHandler.html - 47k - [Cached](#) - [Similar pages](#)

UTILIB User Manual Version

The utilib::Parameter class provides a container object that can provide a ... this value is zero and optional arguments follow the command-line parameters, ...
software.sandia.gov/Acro/releases/votd/acro/packages/utilib/doc/uguide/html/parametersPage.html - 19k - [Cached](#) - [Similar pages](#)

Flexible Command Line Arguments Class - The Code Project - C++ / MFC

Simply instantiate or add an object like so to your source code: ... Return the total number of parameters or arguments on the command line, ...
www.codeproject.com/cpp/argslib.asp - 53k - [Cached](#) - [Similar pages](#)

Classifier (jbNC - Bayesian Network Classifiers Toolbox API)

Class Classifier. java.lang.Object extended by jbnc.Classifier Process command line arguments. Parameters:: argv - Description of Parameter ...
jbnc.sourceforge.net/docs/api/jbnc/Classifier.html - 23k - [Cached](#) - [Similar pages](#)

WSDL2 (Axis API)

public class WSDL2; extends java.lang.Object. Class WSDL2. Version:: %I%, %G% ...
Main Run the tool with the specified command-line arguments ...
ws.apache.org/axis/java/apiDocs/org/apache/axis/wsdl/gen/WSDL2.html - 24k - [Cached](#) - [Similar pages](#)

Processing Command-Line Arguments

Processing Command-Line Arguments This section discusses the classes that ... of the program as well as description of all available command line parameters ...
www.ncbi.nlm.nih.gov/books/bv.fcgi?indexed=google&rid=toolkit.section.ch_core.cmd_line_args - [Similar pages](#)

nxslt - free feature-rich .NET XSLT command line utility

Parameters may be specified after source and stylesheet arguments using nxslt allows to specify extension object classes, whose public methods then can ...
www.xmlilab.net/Products/nxslt/tabid/62/Default.aspx - 49k - [Cached](#) - [Similar pages](#)

Docs For Class Console_Getargs

Command-line arguments parsing class. This implementation was freely inspired by a ... It also performs some arguments validation and is capable to return a ...

http://www.google.com/search?sourceid=navclient&ie=UTF-8&rls=GGLD,GGLD:2004-30,GGLD:en&q=... 11/28/07

validate command line arguments parameter description object class - Google Search

Page 2 of 2

pear.php.net/reference/Console_Getargs-1.1.0/Console_Getargs/Console_Getargs.html -
18k - [Cached](#) - [Similar pages](#)

[1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [Next](#)

Download [Google Pack](#): free essential software for your PC

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

©2007 Google - [Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)


[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

[Advanced Scholar Search](#)
[Scholar Preferences](#)
[Scholar Help](#)
Scholar All articles - [Recent articles](#) Results 1 - 10 of about 26 for midlet **class object validate parameter commai**
All Results
[Q Mahmoud](#)
[J Knudsen](#)
[J Shirazi](#)
[I Singh](#)
[E Davidov](#)
[PDF] Performance Analysis and Benchmarking of Embedded Java Virtual Machine

S Agarawal - Master of Technology Final Project Report, Arizona State ..., 2003 - pooh.east.asu.edu

 ... Tests threading, monitors, **object** sharing with and without contention. ... These are the **class** ... swt-win32-2104" javax.microedition.midlet.AppManager" "Tay- ...

 Cited by 2 - [Related Articles](#) - [View as HTML](#) - [Web Search](#)
Language and **object model for describing MIDlets**

E Davidov, N Linder, E Toledano, O Pomerantz, D ... - 2003 - freepatentsonline.com

 ... 0173] A list or list **class** is a ... parse, generate, compile, and package MIDML applications into a MIDlet at a ... of the parser 70 is the project descriptor **object** 72 ...

 Cached - [Web Search](#)
[BOOK] Learning Wireless Java

QH Mahmoud - 2002 - books.google.com

 ... that are quick references for the J2ME CLDC and MIDP APIs ... including keywords, data types, constants, method names, **objects**, variables, **class** names, and ...

 Cited by 22 - [Related Articles](#) - [Web Search](#) - [Library Search](#)
Conversion of an **object model to a source file generation model**

E Davidov, N Linder, E Toledano, O Pomerantz, D ... - 2003 - freepatentsonline.com

 ... A method DynaMIDWizzle() 236 is a **class** constructor. ... A method generate() 240 activates the library **object** responsible for code generation for the MIDlet. ...

 Cached - [Web Search](#)
[BOOK] Wireless Java: Developing with J2ME - all 4 versions »

J Knudsen - 2003 - developers.apress.com

 ... unicast event source because it can only have one listener **object**. ... MIDP 2.0 includes a single new method in the TextBox **class** called setInitialInputMode ...

 Cited by 24 - [Related Articles](#) - [View as HTML](#) - [Web Search](#) - [Library Search](#)
On-demand creation of MIDlets

E Davidov, M Geva, E Toledano, N Linder - 2003 - freepatentsonline.com

 ... 0156] A list or list **class** is a ... parse, generate, compile, and package MIDML applications into a MIDlet at a ... of the parser 70 is the project descriptor **object** 72 ...

 Cached - [Web Search](#)
Extensible framework for code generation from XML tags

E Davidov, N Linder, E Toledano, O Pomerantz, D ... - 2003 - freepatentsonline.com

 ... 94, 96 are used by the factory **class** 92. ... An **object** lifeline 140 of the generator 74 indicates activations ... illustrates the general structure of a MIDlet in MIDML ...

 Cached - [Web Search](#)
Markup compiler that outputs MIDlets

E Davidov, M Geva, E Toledano, N Linder - 2003 - freepatentsonline.com

 ... 0174] A list or list **class** is a ... parse, generate, compile, and package MIDML applications into a MIDlet at a ... of the parser 70 is the project descriptor **object** 72 ...

 Cached - [Web Search](#)
[PDF] PERFORMANCE ANALYSIS OF MOBILE AGENTS IN WIRELESS INTERNET APPLICATIONS USING SIMULATION

K Shah - 2003 - cs.lamar.edu

... **Class** relationship of the model ... migration that captures only the agent's **object** state and ... have not provided any simulation or experimental **validation** of their ...

[Related Articles](#) - [View as HTML](#) - [Web Search](#) - [Library Search](#)

Evaluation of Java 2 Micro Edition based service creation for mobile devices

B Hjelt - 2001 - serv0.boco.fi

... Keywords: mobile service, Java 2 Micro Edition, J2ME, MIDP, MIDlet Page 3. SAMMANDRAG ...

Nyckelord: mobil tjänst, Java 2 Micro Edition, J2ME, MIDP, MIDlet Page 4. ...

[Related Articles](#) - [Web Search](#)

Google ►

Result Page: 1 2 3 **Next**

midlet class object validate parameter Search

[Google Home](#) - [About Google](#) - [About Google Scholar](#)

©2007 Google